

From: [Mason, Steve](#)
To: [Thompson, Henry](#); [Williams, Latrice](#)
Subject: RE: Wilcox oil residence removal
Date: Thursday, October 05, 2017 10:50:00 AM
Attachments: [image001.png](#)
[16-04-0028 Wilcox Oil Residence Site \(revised\).docx](#)

Here you go... let me know if you need anything else...

With Regards, Steve



Stephen Mason
EPA Region 6 (SSF-PF)
1445 Ross Avenue, Dallas, TX 75202
214-665-2276
mason.steve@epa.gov

"Frequently, my thoughts get bored and walk down to my mouth. Often, this is a bad thing."

From: Thompson, Henry
Sent: Thursday, October 05, 2017 9:57 AM
To: Mason, Steve <mason.steve@epa.gov>; Williams, Latrice <Williams.Latrice@epa.gov>
Subject: RE: Wilcox oil residence removal

Steve,

Can you add the revised language to the Contractor Shall part of the SOW please and resend to me.
The specific language in that part still reflects the 3 foot limit.

Thanks Hank

Hank Thompson

214 665-2251

From: Mason, Steve
Sent: Wednesday, October 04, 2017 4:13 PM
To: Thompson, Henry <Thompson.Henry@epa.gov>; Williams, Latrice <Williams.Latrice@epa.gov>
Subject: RE: Wilcox oil residence removal

Here is the revised SOW with the language... thanks...

With Regards, Steve



Stephen Mason
EPA Region 6 (SSF-PF)
1445 Ross Avenue, Dallas, TX 75202
214-665-2276
mason.steve@epa.gov

"Frequently, my thoughts get bored and walk down to my mouth. Often, this is a bad thing."

From: Thompson, Henry
Sent: Wednesday, October 04, 2017 4:09 PM
To: Mason, Steve <mason.steve@epa.gov>; Williams, Latrice <Williams.Latrice@epa.gov>
Subject: FW: Wilcox oil residence removal

Importance: High

Steve,

As soon as possible, I need you to send me your additional or edited/revised language for the Statement of Work for the ERRS Wilcox Oil Task Order so that I can submit to the CO for Modification.

I have attached the existing SOW for you to use as you add the additional or revised language.
Please let me know if you have any questions or need any additional information.

Thanks Hank

Hank Thompson

From: Phillips, Pam

Sent: Friday, September 29, 2017 5:50 PM

To: Mason, Steve <mason.steve@epa.gov>; Edlund, Carl <Edlund.Carl@epa.gov>

Cc: Carroll, Craig <Carroll.Craig@epa.gov>; Webster, Susan <webster.susan@epa.gov>; Williams, Latrice <Williams.Latrice@epa.gov>; Thompson, Henry <Thompson.Henry@epa.gov>

Subject: RE: Wilcox oil residence removal

You can go below 3 feet under the limited conditions that you have described. If total costs go over the ceiling check in with us before your exceed the ceiling

From: Mason, Steve

Sent: Friday, September 29, 2017 3:59 PM

To: Phillips, Pam <phillips.pam@epa.gov>; Edlund, Carl <Edlund.Carl@epa.gov>

Cc: Carroll, Craig <Carroll.Craig@epa.gov>; Webster, Susan <webster.susan@epa.gov>; Williams, Latrice <Williams.Latrice@epa.gov>; Thompson, Henry <Thompson.Henry@epa.gov>

Subject: Wilcox oil residence removal

Pam, during our briefing on Wilcox oil, you agreed to 3 foot in the Action Memo, but that I could use my judgment as the OSC to exceed 3 feet if necessary to remove all the pooled oily liquid. There are some pockets where we will be exceeding 3 feet to remove the oily liquid (small pools). This will not affect our overall ceiling for the site.

Can you please confirm my ability to go below 3 foot, I will document in the POLREP and final START report.

Thanks for your help on this

Sent from my iPhone